

Bibliography

- Bayliss, J.L., Helyar, A., Lee, J.T. and Thompson, S. (2003) A multi-criteria targeting approach to neutral grassland conservation. *Journal of Environmental Management* 67: 145–160
- Bayliss, J.L., Simonite, V. and Thompson, S. (2005) The use of probabilistic habitat suitability models for biodiversity action planning. *Agriculture, Ecosystems and Environment* 108: 228–250.
- Bender, L.C., Roloff, G.J and Haufler, J.B. (1996) Evaluating confidence intervals for habitat suitability models. *Wildlife Society Bulletin* 24 (2): 347-352.
- BirdLife International (2004) *Birds in Europe: population estimates, trends and conservation status*. BirdLife International (BirdLife Conservation Series No. 12), Cambridge, UK. 374 pp.
- Brooks, R.P. (1997) Improving Habitat Suitability Index Models. *Wildlife Society Bulletin* 25(1) International Issues and Perspectives in Wildlife Management: 163-167.
- Brooks, B.L. and Temple, S.A. (1990) Habitat Availability and Suitability for Loggerhead Shrikes in the Upper Midwest. *Naturalist* 123 (1): 75-83.
- Brown, A.F. and Atkinson, P.W (1996) Habitat associations of coastal wintering passerines. *Bird Study* 43: 188-200.
- Brown, A.F., Crick, H.Q.P. and Stillman, R.A. (1995) The distribution, numbers and breeding ecology of Twite *Acanthis flavirostris* in the south Pennines of England. *Bird Study* 42: 107-121.
- Bryman, A. and Cramer, D. (2005) *Quantitative Data Analysis with SPSS 12 and 13 – A Guide for Social Scientists*. Routledge, London, 367 pp.
- Burrough, P.A. and McDonnell, R.A. (1998) *Principles of Geographical Information Systems – Spatial Information Systems and Geostatistics*. Oxford University Press, England, 333 pp.
- Calderdale Council (2009) *Species Action Plans: Twite* [Online] Last accessed on 7 March 2010 at URL:

<http://www.calderdale.gov.uk/environment/countryside/conservation/publication/s/biodiversity/species/twite.html>

- Chan, Y.H. (2004) Biostatistics 202: Logistic regression analysis *Singapore Medical Journal* 45(4): 149-153.
- Clark, H. and Sellars, R.M. (1998a) Winter Habitats of Twites in Scotland. *Scottish Birds* 19: 262-269.
- Clark, H. and Sellars, R.M. (1998b) Movements of Twites in Scotland. *Scottish Birds* 19: 270-279.
- Clark, H. and Sellars, R.M. (1999) A Further Survey of Twites Wintering in Caithness. *Scottish Birds* 20: 35-37.
- Davies, M. (1988) The Importance of Britain's Twites. *RSPB Conservation Review* 2: 91-94
- Davis, F.W., Stoms, D.M., Costello, C.J., Machado, E.A., Metz, J., Gerrard, R., Andelman, S., Regan, H. and Church, R. (2003) *A framework for setting land Conservation priorities using multi-criteria scoring and an optimal fund allocation strategy*. National Center for Ecological Analysis and Synthesis, University of California, Santa Barbara. Report to the Resources Agency of California August 2003, 72 pp.
- DeMers, M.N. (2003) *Fundamentals of Geographic Information Systems*. 2nd Edition. John Wiley and Sons, New Jersey, 636 pp.
- Dierschke, J. (2002) Food preferences of Shorelarks *Eremophila alpestris*, Snow Buntings *Plectrophenax nivalis* and Twites *Carduelis flavirostris* wintering in the Wadden Sea: Seeds of plants from lower salt marsh communities are preferred, with insects less important. *Bird Study* 49: 263-269.
- Donald, P.F., Green, R.E. and Heath, M.F. (2001) Agricultural intensification and the collapse of Europe's farmland bird populations. *Proceedings of the Royal Society of London B* 268: 25-29.

- Donovan, M.L., Rabe, D.L. and Olson Jr, C.E. (1987) Use of Geographic Information Systems to Develop Habitat Suitability Models. *Wildlife Society Bulletin* 15 (4): 574-579.
- Eaton, M.A., Brown, A.F., Noble, D.G., Musgrove, A.J., Hearn, R.D., N.J. Aebischer, Gibbons, D.W., Evans, A.D. and Gregory, R.D. (2009) Birds of Conservation Concern 3: The population status of birds in the United Kingdom, Channel Islands and Isle of Man. *British Birds* 102: 296-341.
- EDINA (2010) *Description of Agcensus*. [Online] Last accessed on 13 May 2010 at URL: <http://edina.ac.uk/agcensus/description.html>
- Elith, J. and Leathwick, J.R. (2009) Species Distribution Models: Ecological Explanation and Prediction Across Space and Time. *Annual Review of Ecology, Evolution, and Systematics* 40: 677-697.
- Elith, J., Graham, C.H., Anderson, R.P., Dudík, M., Ferrier, S., Guisan, A., Hijmans, R.J., Huettmann, F., Leathwick, J.R., Lehmann, A., Li, J., Lohmann, L.G., Loiselle, B.A., Manion, G., Moritz, C., Nakamura, M., Nakazawa, Y., Overton, J. McC., Peterson, A.T., Phillips, S.J., Richardson, K., Scachetti-Pereira, R., Schapire, R.E., Soberón, J., Williams, S., Wisz, M.S. and Zimmermann, N.E. (2006) Novel methods improve prediction of species' distributions from occurrence data. *Ecography* 29: 129-151.
- Elith, J., Leathwick, J. R. and Hastie, T. (2008) A working guide to boosted regression trees. *Journal of Animal Ecology* 77: 802-813.
- Ellis, P. (2004) *Grouped Species Action Plan: Arable birds* Living Shetland Biodiversity Action Plan, May 2004. [Online] Last accessed on 21 February 2010 at URL:
- ESRI (2006) – Creating a Simple Model *ArcGIS Desktop Help* [Online] Last accessed on 10 February 2010 at URL: http://webhelp.esri.com/arcgisdesktop/9.2/index.cfm?id=663&pid=661&topicname=Creating_a_simple_model
- ESRI (2006) An overview of ModelBuilder *ArcGIS Desktop Help* [Online] Last accessed on 10 February 2010 at URL: http://webhelp.esri.com/arcgisdesktop/9.2/index.cfm?id=677&pid=676&topicname=An_overview_of_ModelBuilder

- ESRI (2008) Zonal Statistics as Table. *ArcGIS Desktop Help* [Online] Last accessed on 27 November 2010 at URL: http://webhelp.esri.com/arcgisdesktop/9.2/index.cfm?TopicName=Zonal_Statistics_as_Table
- European Environment Agency (2010) *Corine Land Cover* [Online] Last accessed on 27 November 2010 at URL: <http://www.eea.europa.eu/publications/COR0-landcover>
- Field, A. (2005) *Discovering Statistics Using SPSS*. 2nd Edition. Sage Publications, London, 779 pp.
- Fielding, A.H. and Haworth, P.F. (1995) Testing the Generality of Bird-Habitat Models. *Conservation Biology* 9 (6): 1466-1481.
- Fotheringham, A.S., Brunson, C. and Charlton, M. (2002) *Quantitative Geography: Perspectives on Spatial Data Analysis*. Sage Publications, London, 270 pp.
- Fuller, R.J. (1982) *Bird Habitats in Britain*. T & A D Poyser, London 320 pp.
- Ganfyd (2010) *Receiver operating characteristic* [Online] Last accessed on 29 November 2010 at URL: http://www.ganfyd.org/index.php?title=ROC_curve
- Gibbons, D.W., Reid, J.B. and Chapman, R.A. (1993) *The New Atlas of Breeding Birds In Britain and Ireland: 1988-1991*. British Trust for Ornithology/Irish Wildbird Conservancy, T & A D Poyser, London 520 pp.
- Gibson, L.A., Wilson, B.A., Cahill, D.M. and Hill, J. (2004) Spatial prediction of rufous bristlebird habitat in a coastal heathland: a GIS-based approach. *Journal of Applied Ecology* 41: 213-223.
- Gilbert, G., Gibbons, D.W. and Evans, J. (1998) *Bird Monitoring Methods: a manual to techniques for key UK species*. RSPB, Sandy, Bedfordshire. 464 pp.
- Green, R.E. and Stowe, T.J. (1993) The Decline of the Corncrake *Crex crex* in Britain and Ireland in Relation to Habitat Change. *Journal of Applied Ecology* 30 (4): 689-695.
- Gowthorpe, K. (2009) *Farmland Advisers' Twite Habitat Intervention Handbook*. RSPB & Natural England, Huddersfield, England 64 pp.

- Greater Manchester Council (2009) *Greater Manchester Biodiversity Project: Twite Species Action Plan 2009* [Online] Last accessed on 7 March 2010 at URL: http://www.gmbp.org.uk/site/images/stories/twite%20bap_09.pdf
- Hancock, M.H. and Wilson, J.D. (2003) Winter habitat associations of seed-eating passerines on Scottish farmland: Extensive surveys highlighted the importance of weedy fodder brassicas, stubbles and open farmland landscapes to declining birds. *Bird Study* 50: 116–130
- Hirzel, A.H., Hausser, J., Chessel, D. and Perrin, N. (2002) Ecological-Niche Factor Analysis: How to compute Habitat-Suitability Maps without Absence Data? *Ecology* 83 (7): 2027-2036.
- Hirzel, A.H. and Arlettaz, R. (2003) Modelling Habitat Suitability for Complex Species Distributions by Environmental-Distance Geometric Mean. *Environmental Management* 32 (5): 614-623.
- Hirzel, A.H., LeLay, G., Helfer, V., Randin, C. and Guisan, A. (2006) Evaluating the ability of habitat suitability models to predict species presences. *Ecological Modelling* 199: 142-152.
- Heywood, I., Cornelius, S. and Carver, S. (2006) *An Introduction to Geographical Information Systems*. 3rd Edition. Pearson Education Ltd., Harlow, England. 426pp.
- Holloway, S. (1996) *The Historical Atlas of Breeding Birds in Britain and Ireland: 1875-1900*. T & A D Poyser, London 476 pp.
- Jetz, W., Rahbek, C. and Lichstein, J.W. (2005) Local and global approaches to spatial data analysis in ecology. *Global Ecology and Biogeography* 14: 97-98
- Johnson, M. (2007) Measuring Habitat Quality: A Review. *The Condor* 109: 489-504.
- Lack, P. (1986) *The Atlas of Wintering Birds in Britain and Ireland*. British Trust for Ornithology/Irish Wildbird Conservancy, T & A.D. Poyser, London 447 pp.
- Langston, R.H.W., Smith, T., Brown, A.F. and Gregory, R.D. (2006) Status of breeding Twite *Carduelis flavirostris* in the UK. *Bird Study* 52: 55-63.
- Larson, M.A., Dijak, W.D., Thompson III, F.R. and Millspaugh, J. (2003) *Landscape-level Habitat Suitability Models For Twelve Wildlife Species In Southern Missouri*.

General Technical Report NC233. United States Department of Agriculture – Forest Service, North Central Research Station, 58 pp.

- Larson, M.A., Thopson, F.R., Millspaugh, J.J., Dijak, W.D. and Shifley, S.R. (2004) Linking population viability, habitat suitability, and landscape simulation models for conservation planning. *Ecological Modelling* 180: 103-118.
- Lauver, C.L., Busby, W.H. and Whistler, J.L. (2002) Testing a GIS Model of Habitat Suitability for a Declining Grassland Bird. *Environmental Management* 30 (1): 88-97.
- Leathwick, J.R., Elith, J. and Hastie, T. (2006) Comparative performance of generalized additive models and multivariate adaptive regression splines for statistical modelling of species distributions. *Ecological Modelling* 199: 188-196.
- Longley, P.A., Goodchild, M.F., Maguire, D.J. and Rhind, D.W. (2005) *Geographic Information Systems and Science*. 2nd Edition. John Wiley & Sons, Chichester, England. 517 pp.
- Longley, P.A., Goodchild, M.F., Maguire, D.J. and Rhind, D.W. (2005a) *Geographic Information Systems (Abridged): Principles, Techniques, Management, and Applications*. 2nd Edition. John Wiley and Sons, New Jersey, 358 pp.
- Manel, S., Williams, H.C. and Ormerod, S.J. (2001) Evaluating Presence-Absence Models in Ecology: The need to Account for Prevalence. *Journal of Applied Ecology* 38 (5): 921-931.
- Marler, P. and Mundinger, P.C. (1975) Vocalizations, Social Organization and Breeding Biology of the Twite *Acanthus flavirostris*. *The Ibis* 117 (1): 1-20.
- Mearns. R. (2009) Wintering Twite in Dumfries & Galloway. *Scottish Birds* 29(3): 210-219.
- Meyer, B.C., Mammen, K and Grabaum, R. (2007) A spatially explicit model for integrating species assessments into landscape planning as exemplified by the Corn Bunting (*Emberiza calandra*). *Journal of Nature Conservation* 15: 94-108.
- Met Office (2010) *UKCP09 (2009) Methods* [Online] Last accessed on 27 November 2010 at URL:
<http://www.metoffice.gov.uk/climatechange/science/monitoring/ukcp09/methods.html>

- McGhie, H.A., Brown, A.F., Reed, S. and Bates, S.M. (1994) *Aspects of the Breeding Ecology of Twite in the South Pennines*. English Nature Research Reports No.118.
- MLURI (1993) *The Land Cover of Scotland 1988 Executive Summary* The MacAulay Land Use Research Institute, Aberdeen, 39 pp. Available online at URL: <http://www.macaulay.ac.uk/publications/LCS%20web.pdf>
- Morain, S. (1999) *GIS Solutions in Natural Resource Management: Balancing the Technical-Political Equation*. Onword Press, Santa Fe, USA. 364 pp.
- National Biodiversity Network (2010) *Interactive map of Twite (Carduelis flavirostris)* [Online] Last accessed on 17 November 2010 at URL: <http://data.nbn.org.uk/interactive/map.jsp?srchSp=NHMSYS0000530250>
- Natural England (2009) *Bird rescue mission for beleaguered twite* [Online] Last accessed on 8 March 2010 at URL: http://www.naturalengland.org.uk/about_us/news/2009/021209a.aspx
- Newton, I. (1967) The Adaptive Radiation and Feeding Ecology of Some British Finches *Ibis* 109: 33-96.
- Newton, I. (1972) *Finches*. The New Naturalist Series, Collins, London, 288 pp.
- Northern Ireland Environment and Heritage Service (2006) Northern Ireland Species Action Plan: Twite *Carduelis flavirostris* [Online] Last accessed on 7 March 2010 at URL: <http://www.ni-environment.gov.uk/twiteniactionplanwebversionapril06.pdf>
- Orford, N. (1973) Breeding Distribution of the Twite in Central Britain. *Bird Study* 20 (1): 51-62.
- Osborne, P.E., Foody, G.M., and Suarez-Seoane, S. (2007) Non-stationarity and local approaches to modeling the distributions of wildlife. *Diversity and Distributions* 13(3): 313-323.
- O'Sullivan, D. and Unwin, D.J. (2003) *Geographic Information Analysis*. John Wiley and Sons, New Jersey, 436 pp.

- Park, S.H., Goo, J.M. and Jo, C-H. (2004) Receiver Operating Characteristic (ROC) Curve: Practical Review for Radiologists. *Korean Journal of Radiology* 5(1) 11-18
- Peak District (2000) *Peak District Twite Biodiversity Action Plan* [Online] Last accessed on 7 March 2010 at URL:
http://www.peakdistrict-nationalpark.info/pdf/haymeadows/bap_twite.pdf
- Phua, M-H and Minowa, M. (2005) A GIS-based multi-criteria decision making approach to forest conservation planning at a landscape scale: a case study in the Kinabalu Area, Sabah, Malaysia. *Landscape and Urban Planning* 71: 207-222.
- Potts, J.M. and Elith, J. (2006) Comparing species abundance models. *Ecological Modelling* 199: 153-163.
- Raine, A. F. (2006) *The breeding ecology of Twite Carduelis flavirostris and the effects of upland agricultural intensification*. PhD thesis, University of East Anglia, UK.
- Raine, A.F., Brown, A.F., Amano, T. and Sutherland, W.J. (2009) Assessing population changes from disparate data sources: the decline of the Twite *Carduelis flavirostris* in England. *Bird Conservation International* 19: 401-416.
- Reed, S. (1995) Factors limiting the distribution and population of Twite (*Carduelis flavirostris*) in the Pennines. *Naturalist*, 120: 93-102.
- Rogerson, P.A. (2001) *Statistical Methods for Geography*. Sage Publications, London, 236 pp.
- Samu, F., Csontos, P. and Szinetar, C. (2008) From multi-criteria approach to simple protocol: Assessing habitat patches for conservation value using species rarity. *Biological Conservation* 141: 1310-1320.
- Scally, R. (2006) *GIS for Environmental Management*. ESRI Press, Redlands, California, 187 pp.
- Schonlau, M. (2005) Boosted Regression (Boosting): An introductory tutorial and a Stat plugin. *The Stata Journal* 5 (3): 330-354.

- Segurado, P. and Araujo, M.B (2004) An evaluation of methods for modelling species distributions. *Journal of Biogeography* 31: 1555-1568.
- Sharrock, J.T.R. (1976) *The Atlas of Breeding Birds in Britain and Ireland*. British Trust for Ornithology/Irish Wildbird Conservancy, Tring, England 477 pp.
- Sim, I.H.W., Gregory, R.D., Hancock, M.H. and Brown, A.F. (2005) Recent changes in the abundance of British upland breeding birds. *Bird Study* 52: 261-275.
- Sowter, D. (2006) The North-West Twite Project [Online] Last accessed on 8 March 2010 at URL: <http://www.manchesterbirding.com/twiteprojectdoc.htm>
- Store, R. and Jokimaki, J. (2003) A GIS-based multi-scale approach to habitat suitability modelling. *Ecological Modelling* 169: 1-15.
- Store, R. and Kangas, J. (2001) Integrating spatial multi-criteria evaluation and expert knowledge for GIS-based habitat suitability modelling. *Landscape and Urban Planning* 55: 79-93.
- Suarez-Seoane, S., Osborne, P.E. and Alonso, J.C. (2002) Large-scale Habitat Selection by Agricultural Steppe Birds in Spain: Identifying Species-Habitat Responses Using Generalized Additive Models. *Journal of Applied Ecology* 39 (5): 755-771.
- Taylor, J. and Cobb, K. (2004) Statistics 262: Intermediate Biostatistics - Model selection. [Online] Last accessed on 7 December 2010 at URL: <http://www-stat.stanford.edu/~jtaylo/courses/stats262/spring.2004/notes/week9.pdf>
- Thom, V.M. (1986) *Birds in Scotland*. T & A D Poyser, London 382 pp.
- Townsend Peterson, A., Papes, M. and Eaton, M. (2007) Transferability and model evaluation in ecological niche modelling: a comparison of GARP and Maxent. *Ecography* 30: 550-560.
- Vaughan, I.P. and Ormerod, S.J. (2005) The continuing challenges of testing species distribution models. *Journal of Applied Ecology* 42: 720-730.
- Vaurie, C. (1959) *The birds of the Palaearctic fauna*. Witherby, London .

Wilkinson, N.I. (2007) *Twite* in Forrester, R. and Andrews, I. (Eds.) (2007) *The Birds of Scotland*. Volume 2: 1409-1412. The Scottish Ornithologists' Club, Aberlady, Scotland.

Wilkinson, N.I. and Wilson, J.D. (2010) *Breeding ecology of Twite *Carduelis flavirostris* in a crofting landscape*. RSPB, Edinburgh, Scotland.

Wilson, J.D., Evans, A.D. and Grice, P.V. (2009) *Bird Conservation and Agriculture*. Ecology, Biodiversity and Conservation Series, Cambridge University Press, Cambridge, England 394 pp.

Wuensch, K.L. (2009) *Binary Logistic Regression with PASW/SPSS*. [Online] Last accessed on 18 August 2010 at URL:
<http://www.google.co.uk/url?sa=t&source=web&cd=3&ved=0CCQQFjAC&url=http%3A%2F%2Fcore.ecu.edu%2Fpsyc%2Fwuensch%2FMV%2FMultreg%2FLogistic-SPSS.doc&rct=j&q=logistic%20regression%20spss&ei=r0FsTIiZE4mo4AaMhuHuAg&usg=AFQjCNGEqvHQEsm-fdfWGY0NjrynGKcbWA>